

## RELAPSE PREVENTION PLAN

Preventing relapse requires a commitment to recovery. It also requires a plan of action. Relapse is not an event, but a process. Before the physical act of relapse, a person experiences changes in feelings, thoughts, and behaviors. Cravings also play a role in relapse. By developing and following a written plan, you can halt the relapse process.

What is your drug of choice? \_\_\_\_\_

Write down the reason(s) you have decided to stop using/drinking: \_\_\_\_\_

---

---

---

What are some *feelings* that might lead to relapse? (Examples: Anger, boredom, happiness, not caring about recovery.)

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

For each feeling listed above, write down a healthy way of coping with that feeling:

1. \_\_\_\_\_  
\_\_\_\_\_
2. \_\_\_\_\_  
\_\_\_\_\_
3. \_\_\_\_\_  
\_\_\_\_\_
4. \_\_\_\_\_  
\_\_\_\_\_
5. \_\_\_\_\_  
\_\_\_\_\_

What are some *thoughts* that might lead to relapse? (Examples: Thinking about the good times or thinking you are cured.) Be as specific as possible.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

What are some *behaviors* that might lead to relapse? (Examples: Not attending meetings, not calling your sponsor, eating too much junk food, being in an unhealthy relationship.) Be as specific as possible.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Who are the *people* you are most likely to use with?

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Write down the names of five people you can call when tempted to use:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Where are the *places* you are mostly likely to use?

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

What other *situations* or *events* are triggers for you?

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

**Cravings:** Remember that cravings will pass. However, there are different techniques to help with intense cravings. You can talk about it with your sponsor or with a friend in recovery. Or you can distract yourself by journaling, watching a comedy, listening to loud music, running, doing a crossword puzzle, cleaning house, working on a project, etc.

Write down 10 ways to cope with cravings.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. \_\_\_\_\_
7. \_\_\_\_\_
8. \_\_\_\_\_
9. \_\_\_\_\_
10. \_\_\_\_\_

How many 12-step meetings will you attend each week? \_\_\_\_\_

Fill in meeting names, when they meet, and the places they meet (for one week).

Meeting	Day/Time	Location

How will you get to meetings? \_\_\_\_\_  
\_\_\_\_\_

How often will you call your sponsor? \_\_\_\_\_

How often will you meet with your sponsor? \_\_\_\_\_

List five consequences of a relapse. (Examples: Failing a drug screen, calling in to work, missing an appointment, etc.)

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

List five benefits of working a recovery program:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Write down five short-term goals (1-12 months) that you can only achieve through sobriety.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

Write down five long-term goals (1-3 years) that you can only achieve through sobriety.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

# Relapse Prevention Plan

Five warning signs that I might use:

- 1.
- 2.
- 3.
- 4.
- 5.

Five people who I can call to help me get through a craving:

- 1.
- 2.
- 3.
- 4.
- 5.

Five things I can do to get my mind off of using:

- 1.
- 2.
- 3.
- 4.
- 5.